

Sailt Dogg Poly Hopper Spreader 6.0 Cu. Yd.

Northern

\$ 9,553.99 w/ shipping


RPCD

\$ 9,487.66 Plus SHIPPING

Cherokee Truck Equipment

\$ 9,336.00 w/ shipping

Home > Snow Plow Parts > Salt Spreaders > Hopper Salt Spreaders > Polymer Hopper Spreaders > SHPE6000



Click image above to enlarge.

Buyers SaltDogg 6 Cubic Yard Electric Poly Salt Spreader for Heavy-Duty Municipal & Commercial Applications

Buyers SHPE6000

Online Price

\$8,981.82 + 28.84 Greasckit Controller Shipping + 477.92 + ?

\$ 9458.82 + 28.84

 Add To Cart


Quantity	Price (ea.)	Savings
6+	\$8,935.11	1%

Additional Shipping Required


Due to the weight and/or size of this product, additional shipping charges not charged within our web cart are required. We will contact you after your order has been received with the cost or you're welcome to contact us at orders@rcpw.com before placing the order to find out what the cost would be to your location.


Manufacturer



Description [\(800\) 937-7279](#) | [Help & Info](#) | [Login](#) | [Create Account](#) | 

Similar in design to SnowEx SP-9800X, the Buyers SHPE6000 is a great salt spreader for medium or heavy duty commercial use with vehicles that have a minimum GVW of 25,999 lbs. The black polyethylene hopper used on this spreader has a capacity of 6 cubic yards and provides a slick surface to prevent salt from sticking to the inside of the hopper. The SHPE series by Buyers features an electrically driven stainless steel auger to reliably feed material from your hopper and breakup any material clumps. This model is fitted with a 900 force lbs. vibrator to help the auger deliver a reliable and smooth flow. Remain in the comfort of your vehicle and control this spreader with the Buyers 3016934 salt spreader controller.

Brand	(800) 937-7279 Help & Info Buyers Login Create Account 
Part Number	SHPE6000
Condition	New
Capacity	6.0 cu. yds.
Chute	Standard
Construction	Polyethylene
Control	In-cab console (3016934)
Feed Mechanism	6" carbon steel auger, stainless steel trough
Frame	Stainless steel
Hopper	Polymer
Hopper Length	127"
Hopper Width	77"
Ideal Use	Medium & heavy-duty commercial
Inverted V	Stainless steel
Motor	(2) 12 VDC
Mounting	4-point tie down system
Overall Height	57"
Overall Length	133.5"
Overall Width	77"
Power Source	(2) 12V DC direct drive
Spinner	14" poly
Spread Width	5 ft. - 30 ft.
Spreading Material	Bulk salt; 50/50 salt/sand mix
Top Screen	(2) 1/4" black powder coated steel
Vehicle Applications	Min.25,999 lbs. GVW (Truck Application is only a reference. The Gross Vehicle Weight (GVW)

(800) 937-7279 | Help & Info | [Log In](#) | [Create Account](#) | 
of the truck & calculated payload must be evaluated for each application.)

Vibrator Standard (900 force lbs.)

Weight 1,344 lbs

- Now with 2-year warranty!
- Capacity: 6.0 cu. yds. (10' 7")
- Poly-molded hopper with stainless steel frame
- Material spread up to 30'
- Steel top screens
- 12 VDC vibrator rated at 900 force pounds
- Two 12-Volt direct drive motors (.75 HP for auger; .5 HP for spinner).
- 6" variable pitch auger
- Weighs 1,000 lbs. less compared to steel/stainless steel
- Spinner assembly can be easily removed for cleaning and storage
- Includes two top screens, stainless steel inverted V,
- Forklift pockets standard

Related Parts



Remote Grease Kit for SHPE Series

Buyers 3022215

\$28.84



12V DC Speed Controller 60 ADC for 1400 Series

Buyers 3016934

\$477.92

Shop Online Confidently


We work closely with GoDaddy and PayPal to provide a secure online shopping environment. We are highly recommended by customers on Reseller Ratings and have an A+ BBB rating.

Contact Us

Phone

Local: (330) 467-1332
Toll Free: (800) 937-7279 (U.S. Only)



Email
Help & Info | orders@rcpw.com | [Create Account](#) | 

Address
600 E. Highland Road
Macedonia, OH 44056

Hours of Operation
Monday - Friday: 9 a.m. - 4:30 p.m.

Copyright © 1996-2018 Replacement Commercial Parts Warehouse. All Rights Reserved.

FREE GIFT CARD

- DOUBLE THE DEAL -

Free \$10 \$20 Gift Card w/ \$100 Order
 Free \$20 \$50 Gift Card w/ \$250 Order
 Free \$50 \$100 Gift Card w/ \$500 Order
 Free \$100 \$200 Gift Card w/ \$1000 Order

Use Keycode:
262497
[SEE DETAILS >](#)




NorthernTool.com | 1-800-221-0516 | Available Online Only

SaltDogg Electric Poly Hopper Spreader — 6.0 Cu. Yd. Capacity, Fits 13-Ton Trucks, Model# SHPE6000

Item# 28041

[New — Write a Review](#)



Adding this item to your Cart will qualify your order for a free \$200 Gift Card!

Only **\$8999.99**

- Includes 1-pc. poly hopper, stainless steel trough, poly chute/spinner assembly, material vibrator, top screen and in-cab controller
- Can also be used for broadcasting seed, fertilizer, game feed and more

[Ship it](#) | [See Shipping Options](#)

+ 554.00 shipping
~~\$\$\$ 9553.99~~

Product Summary

This SaltDogg Electric Poly Hopper Spreader is an ultra-durable salt and salt/sand spreader that provides everything you need to get working. U.S.A. What's **Included**

(1) Hopper spreader

Features + Benefits

- Includes 1-pc. poly hopper, stainless steel trough, poly chute/spinner assembly, material vibrator, top screen and in-cab controller
- Can also be used for broadcasting seed, fertilizer, game feed and more

Key Specs

Item#	28041	Spinner Material	Poly
Brand	SaltDogg	Volts	12
Manufacturer's Warranty	1 year Limited Warranty	Hopper Material	Polymer
Ship Weight	1344.0 lbs	Frame Construction	Polymer
Product Type	Spreader	Overall Dimensions H x W x D (in.)	134 x 77 x 57
Spread Radius (ft.)	Up to 30		
Recommended Media	Salt, sand/salt mix		

Compare with Most Popular Insert Salt Spreaders

Currently Viewing

Item# 28041



SaltDogg Electric Poly Hopper Spreader — 6.0 Cu. Yd. Capacity, Fits 13-Ton Trucks, Model# (Not Yet Rated - New)

Only \$8999.99

Item# 28145



Salt Dogg Electric Stainless Steel Hopper Spreader — 2.0 Cu. Yard Capacity, Stainless Steel
★★★★★ (1)

Only \$4499.99

Item# 157689



SaltDogg Poly Hopper Spreader — 1.5 Cubic Yard Capacity, Model# SHPE1500
★★★★★ (3)
Reg. \$3,379.99

Sale \$3253.00

Save \$126.99

Item# 47075



SaltDogg Poly Hopper Spreader — 1.0 Cubic Yard Capacity, Model# SHPE1000
★★★★★ (1)

Only \$2949.99

Item# 25575



SaltDogg Electric Poly Hopper Spreader — 3/4 Cubic Yard Capacity, Model# SHPE0750
(Not Yet Rated - New)

Only \$2799.99

	Item# 28041	Item# 28145	Item# 157689	Item# 47075	Item# 25575
Product Type	Spreader	Spreader	Spreader	Spreader	Spreader
Spread Radius (ft.)	Up to 30	5-30	Up to 38	5-30	5-30
Load Capacity (lbs.)	-	-	520	450	Dependent on material
Recommended Media	Salt, sand/salt mix	Salt, sand	Salt, sand	Salt, sand	Salt, sand
Adjustable Deflector	-	Yes	-	-	-
Spinner Material	Poly	-	Poly	Stainless steel	Poly
Volts	12	12	12	12	12
Variable Speed	-	Yes	No	Yes	No
Hopper Material	Polymer	Stainless steel	Poly	Poly	Poly
Frame Construction	Polymer	-	Poly	Poly	Poly
Overall Dimensions H x W x D (in.)	134 x 77 x 57	-	37 x 51 x 93	34 x 48 x 71 1/2	28 x 48 x 63.2
Hopper Dimensions H x W x D (in.)	-	-	37 x 51 x 93	34 x 48 x 68	28 x 48 x 53
Mounting Hardware Included	-	Yes	Yes	Yes	-

CHEROKEE

TRUCK EQUIPMENT, LLC

550 Discovery Place
Mableton, GA 30126

December 21, 2018

Mr. John Brown
City of Powder Springs, Ga

Thank you, for allowing Cherokee Truck Equipment the opportunity to quote you on the following equipment.

1. Buyers SHPE6000 Electric Spreader equipped as follows
 - a. Fits Dump Trucks or Flatbeds with Minimum 25,999 lb. GVW
 - b. 6.0 Cubic yard poly hopper. Black in color
 - c. 12V DC Powered electric drive with independent ¾ h.p. auger/chain motor and ½ h.p. spinner motor
 - d. In-Cab Controller.
 - e. Vibrator, Top Screens, Fitted Tarp, and remote auger bearing grease kit included

Price – \$9,336.00 Per Spreader Only

Please review and let me know if you have any questions about the quote or equipment listed. Note all pricing includes freight.

Sincerely,

Eric Eubanks
Account Manager
Mobile: 404-710-0344
eric.eubanks@cherokeetruck.com

This quote is good for 30 days from the above stated date. **There have been no applicable taxes applied to this quote.**

Terms and Conditions of Sale

1. **Orders.** All customer ("Customer") orders are subject to acceptance or rejection by Cherokee Truck Equipment, LLC (Cherokee). No orders may be changed in any manner, without the prior written consent of Cherokee.
2. **Cancellation.** After acceptance, orders may not be cancelled without Cherokee's written consent, terms that will compensate Cherokee fully for any loss or damage sustained by Cherokee, or third party providers, as a result of such cancellation.
3. **Performance.** Customer acknowledges that Cherokee cannot be responsible for production delays of the chassis manufacturer, body manufacturer, equipment manufacturer or any other third party provider of materials, parts, suppliers or services, which are not under Cherokee's direction or control. Therefore, Customer agrees that Cherokee will not be liable for damages of any kind resulting from performance or delivery delays occasioned by or attributable to such third parties. In addition Cherokee will not be liable for damages of any kind arising from failure to complete performance of this agreement in accordance with its terms (including delivery date) if such failure is due to wars, strikes, floods, fires, accidents, delays in transportation or other acts of force majeure, or other causes beyond Cherokee's reasonable control.
4. **Prices.** Cherokee bases its contract price upon the prices quoted by Cherokee's suppliers and manufacturers. All orders are subject to a pass-through to Customer of any price increase imposed on Cherokee by Cherokee's manufacturers or suppliers.
5. **Payment.** Payment is due, in full, upon delivery of vehicle and/or equipment, unless alternate arrangements have been made and documented, in writing, by Cherokee. If for any reason Customer defaults in any payment owed to Cherokee, Customer agrees to be responsible for all costs incurred by Cherokee in collecting any outstanding accounts, including but not limited to, collection agency fees, filing fees, court costs, expenses and reasonable attorney fees. In addition, any invoice not paid in full within thirty (30) days from invoice date shall bear interest at the rate of 1½ % per month (18% per annum), or the maximum allowed by law, whichever is less.
6. **Mounting Prices.** It is the Customers responsibility to provide Cherokee a chassis that meets the specifications published by Cherokee's suppliers. Mounting prices assume normal factory installation on a truck chassis suitable for the unit purchased. Relocation of batteries, gas tanks, mufflers, air tanks, etc. will be an additional charge to be billed at the standard supplier factory labor rate.
7. **No Express Warranty/Disclaimer of Implied Warranties.** Cherokee makes no warranty with respect to products or component parts manufactured by others and supplied to Cherokee by such third parties. The only warranties offered with respect to such products or parts, if any, are those offered by the manufacturer of such products or parts. In addition, CHEROKEE DISCLAIMS ANY AND ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, ANY WARRANTY OR MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE. Cherokee further disclaims any liability for loss of product, profits, time or any other direct or indirect or consequential losses, damages (including property damages, personal injuries or death) or any damages resulting from delay in performance. No employee or representative of Cherokee is authorized to change this warranty disclaimer or in any way to grant any warranty on behalf of Cherokee.
8. **Choice of Law and Venue.** These terms and conditions shall be governed by and construed in accordance with the laws of the State of Tennessee. Any claim against Cherokee arising from or related to these Terms and Conditions, or the underlying sale to which these Terms and Conditions apply, must be filed and adjudicated in a court of competent jurisdiction in Hamilton County, Tennessee, or the United States District Court for the Eastern District of Tennessee.
9. **Amendment.** Cherokee may rescind, amend, modify or otherwise alter these Terms and Conditions in Cherokee's sole discretion. The applicable terms and conditions of any sale by Cherokee shall be those attached to and made part of Cherokee's Order Acknowledgement, Invoice, or Delivery Receipt with respect to such sale.
10. **Entire Agreement.** The Order Acknowledgement, Invoice or Delivery Receipt to which these terms and conditions are attached, together with these Terms and Conditions, contain the complete and final agreement between the parties hereto with respect to the sale and purchase transaction embodied herein, and no Customer-supplied purchase order terms, verbal agreements or other agreement, in any way modifying any of these Terms and Conditions, will be binding on Cherokee unless agreed to in writing by an authorized representative of Cherokee.

Accepted By: _____ (signature)

Company: _____

Name: _____ (Printed)

Date: _____