

EXHIBIT A

Section 2-15. PUD-R, Planned Unit Development- Residential

(a) Purpose

The PUD-R district is intended to allow flexible site planning and building arrangements under a unified plan of development so that innovative land planning methods may be utilized which foster natural resource conservation and neighborhood cohesiveness as well as neo-traditional developments. This may permit buildings to be clustered or arranged in an unconventional manner to maximize open space, create a pedestrian scale and other public benefits. In this district smaller lots than might otherwise be permitted under traditional zoning districts may be allowed; however, the purpose is not merely to allow smaller lots or reduce development requirements but to achieve other goals including the protection of sensitive environmental, historic, or aesthetic resources as well as the provision of site amenities such as parks, open space, walking trails, etc. The PUD-R district is intended to encourage greater density of development, and to encourage ingenuity and resourcefulness in land planning techniques which result in quality residential patterns that conserve and create open space, reduce vehicle trips and provide stable developments which enhance the surrounding area.

- (b) PUD-R is intended for single-family detached dwellings and, single-family attached, fee-simple townhouse, ~~multi-family development~~
- (c) The building setback abutting any zoning district must be 35 feet along the perimeter of the site.
- (d) The minimum landscape buffer width abutting any zoning district shall be 25 feet for the entire perimeter of the site.
- (e) All ~~townhouses~~ residential units shall have two-car garages, and the parking pads/driveway in front of the garage shall be a minimum of 22 feet in length in order to accommodate two additional cars, without encroaching on the sidewalk. The garages shall be used for the parking and storage of vehicles and may not be enclosed to provide for additional residential space.
- (f) A recreation area shall be provided at a ratio of 1 acre per 50 units (or a proportional percentage thereof) with a minimum of 10,000 square feet provided. Such area shall be developed with at least one recreational feature, such as a walking trail, pavilion, gazebo, picnic area, swimming pool, playground or tennis courts. Recreational areas must be outside of any floodplain area. Any recreation area must be located in an area with a slope of less than 15%; however, all recreation areas or applicable green space must meet ADA requirements for accessibility.
- (g) Accessory structure may not be closer to any right-of-way or property lines than the principal building. In case or corner lots, the accessory structure may not be closer to any

right-of-way than the principal building. No accessory structure may exceed the more restrictive of either 15 feet ~~of or~~ the height of the principal building.

- (h) Materials to be used on exterior facades of all buildings shall include no less than 50% brick or stone, ~~on all 3 sides on the front and side facades~~. If the rear of the building faces the main right-of-way, 50% brick on the rear façade that is visible to the main road will be required. All other building materials must be consistent with the architectural standards outlined in this Code.
- (i) A 10 foot wide front landscape strip is required along the frontage of the development. One canopy tree shall be planted along every street frontage at a quantity equal to one tree per 40 feet of property frontage. This 10 foot strip must also include evergreen trees and shrubs. Trees Buffer Landscaping, Section 12 of the Unified Development Code is applicable to development within the PUD-R district.
- (j) All PUD-R developments shall be zoned and subject to site specific plans and is still subject to applicable requirements of the Unified Development Code.

The PUD-R allows for flexibility in design therefore, as part of the rezoning application, all provisions of the Unified Development Code that cannot be met as part of the development must be specifically identified in the rezoning application. Only uses permitted in Table 2-1 will be allowed within the PUD-R zoning district. After approval of the PUD-R, no other variances may be requested. Any modification to the PUD-R after approval must be considered as a change in zoning, unless identified as a minor site plan revision as defined in Section 13-54. In the case, of any conflict between the approved site plan and this Unified Development Code identified after approval of the PUD, the Code the more restrictive approach will govern, unless the provision in question was specifically approved under the rezoning application described above.

- (k) If development does not have lots, the units must meet the required square footage outlined for the PUD-R zoning district.
- (l) A detailed site plan will be required with application and should include the following:
 - i. The location and extent of public rights-of-way, easements and water and drainage courses bounding and within the tract included in the general plan by reference to a plan or drawing.
 - ii. Minimum standards for lot development (setbacks, lot size).
 - iii. Open space and recreation area provisions (active and passive).
 - iv. Detailed landscaping plan.
 - v. Detailed architectural elevations of the proposed buildings.
 - vi. Provide lot typical for interior and corner lots

b) Area Regulations

Minimum Tract Size: 3 acres

**Table 2-1
Permitted and Special Uses by Residential Zoning District**

Use	See Also Sec.	R-30	R-20	R-15	MDR	PUD-R
ACCESSORY USES						
Accessory uses and structures not otherwise listed in this table, determined by the community development director to be normally incidental to one or more permitted principal uses	Sec. 4-05	P	P	P	P	P
Accessory apartment, attached	Sec. 4-10	S	S	S	S	S
Accessory apartment, detached	Sec. 4-10	S	S	S	S	S
Carport or garage		P	P	P	P	P
Construction field office	Sec. 4-210	P	P	P	P	P
Fallout shelter		P	P	P	P	P
Family day care home	Sec. 4-110	P	P	P	P	P
Fence	Sec. 4-135	See Table 4.1				
Greenhouse, private		P	P	P	P	P
Guest house	Sec. 4-160	P	P	P	P	P
Home occupation	Sec. 4-170	P	P	P	P	P
Intermodal container, temporary	Sec. 4-180	P	P	P	P	P
Junk	Sec. 4-185	X	X	X	X	X
Model home or subdivision sales officer, temporary	Sec. 4-285	P	P	P	P	P
Parking space, parking lot accessory to one or more permitted uses	Sec. 4-235	P	P	P	P	P
Parking of commercial vehicle or semi-trailer	Sec. 4-270	X	X	X	X	X
Recreation facility, private (tennis court, swimming pool)	Sec. 4-295	P	P	P	P	P
Roadside stand		S	X	X	X	X
Solar energy system, building mounted	Sec. 4-275	P	P	P	P	P
Solar energy system, ground mounted	Sec. 4-280	S	S	S	S	S
Tower, amateur radio	Sec. 4-435	P	P	P	P	P
Utility substation		P	P	P	P	P
Yard or garage sale	Sec. 4-335	P	P	P	P	P
AGRICULTURAL USES						
	See Also Sec.	R-30	R-20	R-15	MDR	PUD-R
Livestock and animal quarters	Sec. 4-200	S	X	X	X	X
Poultry	Sec. 4-200 (d)	P	P	P	P	P
Production of crops	Sec. 4-15	P	P	P	P	P
Timbering and forestry	Sec. 4-15	P	P	P	P	P
Agriculture, agricultural facility, or agricultural operation not otherwise specifically indicated in this table		S	S	X	X	X
RESIDENTIAL USES						
	See Also Sec.	R-30	R-20	R-15	MDR	PUD-R
Boarding house		X	X	X	X	X
Conservation subdivision	Art.15 Div. 9	P	P	P	P	P
Dwelling, detached single-family	Sec. 4-130	P	P	P	P	P
Dwelling, two-family (duplex)	Sec. 4-125	X	X	X	P	P
Dwelling, attached single-family (fee simple or condo)	Sec. 4-120	X	X	X	P	P
Dwelling, multiple-family		X	X	X	X	X
Group home		X	X	X	S	S
Live-work unit		X	X	X	S	S
Loft		X	X	X	P	P
Manufactured home	Sec. 4-205	X	X	X	X	X
Modular home (see def. industrialized building)		P	P	P	P	P
Model home or subdivision sales office, temporary	Sec. 4-285	P	P	P	P	P
Relocated residential structure		S	S	S	S	S
INSTITUTIONAL USES						
		R-30	R-20	R-15	MDR	PUD-R
Church, temple, synagogue, or place of worship	Sec. 4-70	S	S	S	S	S

Club or lodge, nonprofit (civic, fraternal, social)	Sec. 4-75	S	S	S	S	S
Continuing care retirement community		X	X	X	S	S
Use	See Also Sec.	R-30	R-20	R-15	MDR	PUD-R
Institutionalized residential living and care facilities, serving less than 15 persons	Sec. 4-175	X	X	X	X	X
Institutionalized residential living and care facilities, serving 15 or more persons	Sec. 4-175	X	X	X	X	X
Public use		P	P	P	P	P
School, private elementary, middle, or high	Sec. 4-260	S	S	S	S	S
RECREATIONAL USES		R-30	R-20	R-15	MDR	PUD-R
Common area		P	P	P	P	P
Community recreation	Sec. 4-100	P	P	P	P	P
Conservation area		P	P	P	P	P
Golf course as part of residential subdivision		S	S	S	S	P

Table 2-2
Dimensional Requirements for Residential Zoning Districts

NP = Not Permitted NA = Not Applicable

MINIMUM LOT SIZE AND MAXIMUM DENSITY BY USE	R-30	R-20	R-15	MDR	PUD-R
Minimum lot size, detached single-family dwelling lot (square feet)	30,000	20,000	15,000	11,000	8,400
Minimum lot size, two-family dwelling lot (square feet)	NP	NP	NP	22,000	±
Minimum lot size, fee simple townhouse lot	NP	NP	NP	2,000	±
Minimum lot size, lot for any other permitted use not otherwise specified in this table (square feet)	30,000	20,000	15,000	11,000	±
Maximum residential density, detached single-family dwelling (dwelling units per acre)	1.2	1.75	2.3	3.2	8
Maximum residential density, permitted multiple-family dwelling types (dwelling units per acre)	NP	NP	NP	5.0	8
Maximum residential density, multiple-family dwelling types with special use approval (dwelling units per acre)	NP	NP	NP	8.0	N/A
MINIMUM LOT WIDTH AT FRONT SETBACK					
Minimum lot width, all uses except as noted (feet)	100	90	75	60	±
Minimum lot width, fee simple townhouse lot (feet)	NP	NP	NP	20	±
Minimum lot width, fee simple townhouse lot at end of building (feet)	NP	NP	NP	30	±
MINIMUM LOT FRONTAGE ON STREET					
Minimum lot frontage on street, except cul-de-sac lot, all uses (feet)	100	90	75	60	±
Minimum lot frontage on street, cul-de-sac lot, all uses (feet)	50	45	40	35	±
BUILDING AND SITE REQUIREMENTS					
Maximum impervious surface coverage of a lot, detached single-family dwelling (percent)	25%	30%	35%	40%	±60%
Maximum impervious surface coverage of a lot, permitted uses other than detached single-family dwelling (percent)	35%	40%	45%	50%	±60%
BUILDING HEIGHT REQUIREMENTS					
Maximum building height (feet)	35	35	35	35	35
Maximum building height (number of stories)	2	2	2	2	2

SETBACKS FOR PRINCIPAL BUILDINGS AND ACCESSORY STRUCTURES LARGER THAN 144 SQUARE FEET IN FLOOR AREA					
Front (feet)	45	35	35	35	±
Side (feet)	12	10	10	10	±
Rear (feet)	40	35	30	20	±
ACCESSORY BUILDINGS OF 144 SQUARE FEET OR LESS IN FLOOR AREA AND ACCESSORY STRUCTURES					
Front (feet)	NP	NP	NP	NP	NP
Side (feet)	5	5	5	5	Sec 2-155
Rear (feet)	5	5	5	5	Sec 2-155
SPECIAL SETBACKS, BUFFERS, AND LANDSCAPE STRIPS					
Minimum principal or accessory building setback abutting any R-30, R-20, or R-15 zoning district (feet)	NA	NA	NA	35	25
	R-30	R-20	R-15	MDR	PUD-R
Minimum buffer width abutting any R-30, R-20, or R-15 zoning district (feet)	NA	NA	NA	25	25
Minimum landscape strip required along right-of-ways for any non-single-family residential use (width in feet)	10	10	10	10	10
MINIMUM HEATED FLOOR AREA REQUIREMENTS					
Detached, single-family dwelling unit (square feet)	2,000	1,800	1,600	1,400	±1,400
Fee simple townhouse unit or unit in a two-family dwelling	NP	NP	NP	1,200	±1,200
Multi-family dwelling unit, efficiency	NP	NP	NP	600NP	NP600
Multi-family dwelling unit, one bedroom	NP	NP	NP	750NP	750NP
Multi-family dwelling unit, two bedroom	NP	NP	NP	1,050NP	1,050NP
Multi-family dwelling unit, three bedroom	NP	NP	NP	NP1,200	1,200NP

Article 3

Apartment: A building, distinguished from a “duplex” or “two-family” dwelling, designed for or occupied exclusively by two (2) or more families with separate housekeeping facilities for each family for rent or lease. ~~The term “apartment” shall include “triplex” and “quadraplex.”~~ For purpose of this code an apartment building shall also be considered a “multi-family” dwelling.

Multi-Family: A single residential building or group of residential buildings each containing three or more dwelling units located on a single parcel of land.

Condominium building: A building containing one or more individually owned units or building spaces situated on jointly-owned, common areas as defined by laws of the State of Georgia. When a building on property under condominium ownership contains only one dwelling unit, that building is considered a detached, single-family condominium building. When a building on property under condominium ownership contains two or more dwelling units, that building is considered an attached, multi-family condominium building

Duplex: A two-family dwelling; a building designed or arranged to be occupied by two families or households living independently of each other and where both dwelling units are located on the same lot in fee-simple title.

Dwelling, single-family detached: A residential building, whether site-built or an industrialized building, designed for occupancy by one family or household. This definition does not include manufactured home, mobile home, house trailer, or recreational vehicle.

Townhouse: One of a group of three or more single-family, attached dwelling units under fee simple ownership.

**Table 2-4
Dimensional Requirements for Mixed Use and Non-residential Zoning Districts**

DENSITY AND LOT REQUIREMENTS	MXU	O-I	NRC	CRC	CBD	BP	LI	HI
Minimum lot size (square feet)	‡	15,000	20,000	20,000	None	40,000	40,000	40,000
Minimum lot width (feet)	‡	75	75	100	None	100	100	100
Minimum lot frontage (feet)	‡	75	75	100	None	50	100	100
Floor-area ratio, maximum	‡	0.25	0.35	0.50	None	0.50	0.75	0.75
Maximum density, multi-family (units per acre)	‡	NA	NA	NA	None	NA	NA	NA
Maximum impervious surface coverage, lot (%)	‡	60	60	75	100	75	75	90
Maximum square footage per establishment (square feet)		None	30,000 None	None	None	None	None	None

